



## Bone Stock All Wheel Drive Class

### Winter Events ONLY

#### **NO CHANGES OR ALTERATIONS OF RULES TO BE MADE EXCEPT BY EDGE MOTORSPORTS. NO REFUNDS**

**IMPORTANT:** Each driver, mechanic and any pit crew must sign in at registration desk the day of show. Drivers must bring their cars to inspection to have their cars inspected. DRIVER MUST ATTEND DRIVERS' MEETING PRIOR TO DEMOLITION DERBY OR DRIVER WILL BE DISQUALIFIED. I have read the rules and acknowledge to have received a copy and agree that the decision of the Judges is final. I agree to participate at my own risk. It is a condition of my participation in the contest that I sign a further release of liability in the form to be supplied by Edge Motorsports and I agree to sign such a release.

**SPECIAL NOTICE:** NO ALCOHOL OR DRUGS ALLOWED IN ANY RESTRICTED (PIT, HOLDING OR PERFORMING) AREA. ANY VIOLATIONS WILL RESULT IN DISQUALIFICATION OF CAR, DRIVER AND CREW. THERE ARE NO REFUNDS FOR NOT FOLLOWING THIS RULE!!!

DRIVERS and MECHANICS are subject to and must obey the following rules and regulations which are set up by the promoter and the track where this event is being held.

1. For all classes not labelled as a "Youth" class, each driver must be a minimum age of 16. A parent or guardian must sign an insurance waiver for all 16 and 17 year old participants. Guardian must provide photo ID.
2. The original registered driver must drive the registered vehicle for the entire event. No substituting drivers.
3. Edge Motorsports or promoter reserves the right to approve or reject any and all entries, drivers or pit persons.
4. Only the driver and mechanic who sign the ELECTRONIC WAIVER will be permitted in the pit area or on the track. The driver will receive free admission to the grounds with their entry. All drivers, mechanics and pit persons must wear supplied pit passes at all times. Failure to do so may result in ejection from the event or grounds.
5. Edge Motorsports, the promoter, track owner or fair association will not be held responsible for any loss or damage to any cars, trucks, parts or personal property before, during and after the show.
6. It is highly recommended that each competitor carry their own liability insurance.
7. Drivers and mechanics should report to the Edge Motorsports sign in area at a minimum of 1.5 hours before the scheduled start time.
8. Drivers and mechanics are in the pit area at their own risk.

### **TYPE OF VAN/TRUCK**

1. Any factory built 3, 4 or 6 cylinder unibody car or sub compact all wheel drive SUV with uni-body.
2. NO trucks or Large SUVs. No Jeep Cherokee or jeeps with removable doors. i.e CJ , wrangler , renegade. Check with Edge if your make and model is questionable.
3. Cars/SUV'S previously ran may be considered too battered and unsafe, resulting in disqualification.

4. If there is in any question regarding the participant's vehicle, it is the driver's responsibility to prove make, model, year, engine rear end, etc. **RUNNING Risk:** Demolition derbies are hazardous and high-risk sports; therefore, anyone with a health condition, i.e., concussion, heart problems, or who is pregnant should not compete. You are competing at your own risk. Protect yourself: Work Boots, sport equipment such as, neck brace, knee pads, shoulder pads, hip pads etc. are recommended. No bare exposed skin. All drivers **MUST** wear long pants/coveralls as well as long-sleeved shirts. No exceptions. Working seat belt and racing helmet are mandatory. Helmets **MUST** have chin straps. Goggles or face shields are recommended. **\*\*No motocross style visors\*\***

**BRAKES:** Vehicles must have dependable brakes and must be working properly before entering the RING at all times. All boundaries must be observed. **NO DRINKING OF ALCOHOLIC BEVERAGES ON TRACK, EMERGENCY VEHICLE AREA OR IN THE PIT AREA.** Any driver or pit person under the influence of alcohol or drugs allowed in the pit area. This will be strictly enforced. Careless driving in the pit area could result in disqualification. All cars are to be removed from the fairgrounds or racetrack immediately following the show. Additional safety regulations may be imposed, depending on track and conditions.

Preparation of car – Remove or convert the following prior to arriving at fairgrounds or track

1. **INSURANCE**

2. **FLAMMABLE MATERIAL:** All carpet, headliner, door pads and ALL other flammable material **MUST** be removed from inside of car. Front seat and dashboard may be left in place. Mandatory that bumper covers be removed.

3. **GLASS/AIRBAGS** All windows, mirrors, airbags & trim, must be removed prior to derby event. No loose glass smashed into the bottom of doors. **DRIVERS SAFETY**

4. **DOORS & NUMBERS** Driver door should be reinforced. An optional roof number plate may be securely installed. ALL drivers and pit persons **MUST** sign the event

insurance waiver. Failing to do so will result in disqualification. Pit passes must be worn at all times.

5. FIRE EXTINGUISHER Must be within reach of the driver, must work and have a proper working gauge. Please check gauge on the extinguisher before arriving for the event.

6. BATTERY One 12-volt car battery must be moved to front passenger floorboard and securely fastened in a box/container or battery can be placed in the front passenger seat and be secured with two ratchet straps going each way across the battery. It must be clear of all fuel sources. Following inspection, it must be covered with a non-flammable shield such as rubber mat or steel cover. No milk crates, no self-tapping screws.

7. GAS TANK Stock gas tanks must be removed. Must be a steel marine tank, custom steel fuel tank, or certified racing fuel cell. All tanks must be securely fastened down (bolted) in the middle of the back seat area. Tank must be covered with a non-flammable material (rubber mat/air bag) after inspection. No movement to occur during inspection. Leaks will result in disqualification. No plastic tanks.

8. FUEL LINES/PUMP All fuel lines must have leak proof fitting with steel or rubber lines (no clear lines). No exceptions. Lines should run inside car. Leaks will result in disqualification. All connections MUST have hose clamps to eliminate fuel leaks. Must have a safety shut off switch marked in red located on windshield bar or in the center of the windshield area for officials use. Switch to control fuel pump only. Driver's safety. MANDATORY. This rule is for fuel injected cars only.

9. FUEL SYSTEM Electric fuel pump must be isolated with a non-flammable material covering lines, tank & pump. Example: covering may be fire resistant blanket or air bag material.

10. WELDING ABSOLUTELY NO WELDING ON VEHICLE. No Exceptions. Referee has final decision.

11. ENGINE and drivelines factory OEM

12. SHIFTERS Shifters may be directly attached to transmission linkage & relocated thru floor over transmission hump.

13. HOOD & TRUNK/TAILGATE Hoods are to be in stock position or removed. Hoods are not mandatory. Without hood – use electric fan only - fans directly connected to motor must be removed. With hood - a 12" opening must be cut in the center of the hood. Hoods must remain open for officials' inspection. Hood can be fastened down in maximum of 6 places using seat belt strapping or two strands of 9 wire Hoods/rad support can be wired to bumper in 2 places. No threaded rod in hoods. Trunk/tailgate to be fastened down in same way as hood. Trunks/gates can be fastened closed in maximum of 6 place including wired in 2 places to rear bumper. No threaded rod in the trunk/tailgate.

14. DOOR FASTENING All doors must be fastened shut with wire, straps, chains, seat belts in max 8 locations per door. Drivers door may be welded.

15. BRACING Inside car: Post to post bar behind front seats – 3" to 4" in diameter. Can be welded or bolted in place. Outside Car: Flat bar only bolted 8 times with a maximum 3/4" bolts Max 60" long x 12" wide x 1/4" thick. NO "C" CHANNEL, ANGLE IRON. This will be mandatory for the drivers door starting of summer events of 2023. Driver Safety. No limit on driver's door protection between door seams.

16. WINDSHIELD SPACE. Windshield may be left. If removed one strong upright steel, chain or iron bar must be bolted in windshield area.

17. FIRE WALL All holes in firewall must be filled/covered with tin or non-flammable material.

18. BUMPERS STOCK OEM ONLY. You may weld stock bumper on using two pieces 1/4"x2" flatbar to help hold bumper on vehicle. Mandatory that front and rear bumpers have at least 2 spots of 9 wire, chain or seat belt holding bumper on. Mandatory that bumper covers be removed.

19. RADIATOR Radiators and cooling system must be flushed of anti-freeze and only water added. Overflows for radiator must point downward to the ground. Radiator must be mounted in original position or removed. No screens allowed. (Stock A.C. condensers permitted in original position.) No metal added around the rad for reinforcement. No rad guards.

20. TRANSMISSION COOLER No aftermarket coolers. NO coolers outside of the engine compartment.

21. SUSPENSION Suspension must be stock. Movement must occur. It is recommended that rear coiled springs be wired to the differential. All suspension arms must be stock. All steering components must remain stock. strut blocks are permitted max size 2" x 2" x 6" and must be directly behind the strut.
22. FRAMES NO WELDING. Trailer Hitch MUST be removed completely removed.
23. MOTOR MOUNTS Stock mounts No Exceptions. STOCK IS STOCK.
24. BODY MOUNTS NO threaded rod
25. TIRES Any tire allowed. No triple side walls (tire flaps) on drive tires. Rims may have welded in centers only to change bolt pattern and not to strengthen the rim. No full centres. No valve stem protection.
26. PRE-BENDING No pre-bending frame or body.
27. MECHANICAL REPAIRS Must be stock material and in no way enhance ability/performance of vehicle. Rear ends, steering, control arms, axels must remain stock.

**“Official’s Decision is Final”**